



“SOCIAL MEDIA AND ADOLESCENT MENTAL HEALTH: THE ROLE OF CYBERBULLYING IN DEPRESSION AND SELF-HARM”

***1stDr. Mehwish Mursaleen**

Assistant Professor, Department of Psychology, University of Karachi & Clinical Psychologist, Consult A Psychologist Mental Health Care. m.mursaleen@uok.edu.pk

2ndShazia Jabeen

Lecturer & Chairperson, Department of Psychology Jinnah University for Women, Pakistan,

3rdAneela Muhammad Ramzan

Visiting Faculty, Institute of Business Management, Karachi, Pakistan & Clinical Psychologist, Sindh Institute of Urology and Transplantation.

Abstract

The aim of this research paper is to investigate the impact of cyberbullying on adolescent mental health, focusing specifically on its role in the development of depression and self-harm. With the increasing prevalence of social media and digital platforms, adolescents are becoming more susceptible to online harassment, which can lead to significant psychological distress. This study utilizes a mixed-methods approach, combining quantitative surveys and qualitative interviews, to assess the prevalence of cyberbullying and examine its effects on emotional well-being. The findings reveal a strong correlation between cyberbullying experiences and heightened levels of depression and moderate relationship with self-harming behaviors. The paper highlights the complexities of cyberbullying, considering factors such as social media usage patterns, coping strategies, and the role of peer support. The study concluded by recommending the development of comprehensive prevention and intervention programs to mitigate the harmful effects of cyberbullying, while also suggesting areas for future research to further understand and address this growing issue in adolescent mental health.

Keywords: Social media, Mental Health Care, Cyberbullying, Depression Self-Harm, Clinical psychology

Introduction

The rise of social media platforms has revolutionized communication, but it has also given rise to several mental health challenges, especially among adolescents (Mursaleen, Kamrani, & Zia, 2024). Cyberbullying, a form of bullying that takes place through digital platforms, has emerged as a significant concern. Adolescents, who are at a developmental stage vulnerable to social pressures, are increasingly exposed to cyberbullying, which can lead to severe mental health consequences such as depression and self-harm (Smith et al., 2008).

In today's digital age, social media has become an integral part of adolescent life, providing a platform for self-expression, social interaction, and entertainment (Mursaleen, Shaikh, & Imtiaz, 2024). However, as the use of digital platforms has surged, so has the prevalence of online harassment, more commonly known as cyberbullying. Cyberbullying involves the use of technology, particularly social media platforms, to deliberately harm or harass others. Unlike traditional bullying, which typically occurs in person, cyberbullying is often anonymous and can occur 24/7, leaving victims with no escape from the emotional and psychological distress it



causes. The anonymity and widespread reach of social media have contributed to the increasing vulnerability of adolescents to online abuse, with significant consequences for their mental health (Hinduja & Patchin, 2018).

Adolescence is a critical period of emotional and psychological development, and the experiences faced during this stage can have long-lasting effects on an individual's well-being. For many young people, social media platforms serve as an important space for social validation and connection with peers. However, the pressure to conform to social norms, the constant exposure to idealized images, and the potential for online harassment can create an environment where adolescents are at risk of developing mental health issues. Cyberbullying has been shown to contribute to various psychological challenges, including depression, anxiety, and in severe cases, self-harm. These mental health issues are not only distressing but can also have profound implications for an adolescent's academic performance, social relationships, and overall quality of life (Kowalski & Limber, 2013; Tariq et al., 2023; Shahzad et al., 2023).

This research paper seeks to explore the relationship between cyberbullying and adolescent mental health, focusing specifically on depression and self-harm as key outcomes of online harassment. By examining the prevalence of cyberbullying in adolescent social media use, the study aims to understand how cyberbullying contributes to the onset and exacerbation of depression and self-harm among young people. The research will also investigate the factors that mediate these effects, including the role of peer support, coping mechanisms, and social media usage patterns. Through this study, the paper aims to provide a comprehensive understanding of the complex ways in which cyberbullying affects adolescent mental health and to highlight the urgent need for intervention and prevention strategies. As the digital landscape continues to evolve, it is crucial to address the mental health challenges posed by cyberbullying and to create a safer and more supportive environment for adolescents both online and offline. The findings from this research will not only contribute to the growing body of literature on adolescent mental health but also offer practical recommendations for parents, educators, and mental health professionals on how to address and mitigate the harmful effects of cyberbullying.

Significance of Research

This research on the role of cyberbullying in adolescent mental health, particularly in relation to depression and self-harm, holds significant value for various stakeholders, including educators, mental health professionals, parents, policymakers, and researchers.

This research adds to the growing body of literature on adolescent psychological well-being in the digital age by exploring the link between cyberbullying and mental health issues such as depression and self-harm. The findings will provide deeper insight into the specific ways in which online harassment contributes to the mental health challenges faced by adolescents, thereby enhancing the overall understanding of adolescent mental health in the context of modern technology. Moreover, the study will offer valuable insights into nature and the impact of cyberbullying on adolescents, which can directly inform the development of effective prevention and intervention programs. Schools, mental health organizations, and community groups can use these findings to create targeted strategies to mitigate the effects of cyberbullying, support affected adolescents, and promote safer online environments. Specific



intervention strategies, such as improving coping mechanisms or increasing awareness, could be tailored to reduce the incidence of depression and self-harm linked to cyberbullying. Furthermore, this research will help parents, teachers, and school counselors better understand the psychological consequences of cyberbullying on adolescents. With increased awareness, educators and parents can be better equipped to identify signs of distress in adolescents, such as withdrawal, mood swings, or behavioral changes, that may indicate they are being affected by cyberbullying. By fostering more supportive environments both at home and in schools, caregivers and educators can play a critical role in preventing long-term mental health issues. Moreover, the findings of this study can inform policymakers and government bodies in developing regulations and policies aimed at addressing the issue of cyberbullying. As cyberbullying continues to be a significant issue in the digital age, having concrete data on its effects will help in crafting effective laws that protect vulnerable adolescents from online harm. This research can also advocate for the incorporation of mental health education and cyberbullying awareness into school curricula to prevent and address these issues proactively. Moreover, this study will fill important gaps in existing research by specifically examining the role of cyberbullying in the development of depression and self-harm among adolescents. While previous studies have explored the connection between bullying and mental health, fewer have focused on the unique dynamics of cyberbullying in the digital age. The study's findings will therefore offer new perspectives and contribute to more nuanced theories about the relationship between technology, social behavior, and mental health. Finally, the study has the potential to empower adolescents by raising awareness of the mental health risks associated with cyberbullying and providing them with tools and strategies for coping with online harassment. By increasing adolescent awareness of the psychological consequences of cyberbullying, the research may help encourage self-advocacy and promote healthier online behaviors among young people.

In short, this research is significant not only for its academic contribution to the field of adolescent mental health but also for its practical implications in combating the harmful effects of cyberbullying. The outcomes of this study will be instrumental in shaping interventions, informing policies, and providing support to those impacted by cyberbullying, ultimately fostering healthier digital environments for adolescents.

Research Questions

1. How does cyberbullying on social media affect the mental health of adolescents?
2. What is the relationship between cyberbullying and the onset of depression in adolescents?
3. How does cyberbullying contribute to the occurrence of self-harm in adolescents?
4. What are the long-term effects of cyberbullying on adolescent emotional and psychological well-being?

Objectives of Research

- To assess the prevalence and forms of cyberbullying experienced by adolescents on social media.
- To explore the correlation between cyberbullying and depression in adolescents.



- To investigate the connection between cyberbullying and self-harming behaviors among adolescents.
- To understand the emotional and psychological effects of prolonged exposure to cyberbullying.
- To recommend preventive measures and coping strategies for adolescents affected by cyberbullying.

Literature Review

The relationship between social media use, cyberbullying, and adolescent mental health has been a topic of growing concern in recent years. As social media platforms have become an integral part of adolescent life, they have simultaneously opened avenues for harmful behaviors like cyberbullying, which has been linked to adverse mental health outcomes, including depression and self-harm.

Cyberbullying and Its Prevalence

Cyberbullying is defined as the use of digital platforms to intentionally harm others, often through abusive messages, social media posts, or the sharing of private information (Smith et al., 2008). It has been reported that approximately 20-40% of adolescents experience cyberbullying (Kowalski & Limber, 2013). Social media platforms, such as Facebook, Instagram, and Snapchat, are the most common venues for cyberbullying, largely because they provide anonymity and a broad audience, which increases the potential for harm (Hinduja & Patchin, 2018). Furthermore, the persistent nature of cyberbullying, where harassment can continue outside of school hours, makes it particularly damaging to adolescents' emotional well-being (Nixon, 2014; Mursaleen, 2023).

The Impact of Cyberbullying on Depression

Numerous studies have examined the impact of cyberbullying on adolescent mental health, particularly its role in the development of depression. A study by Kowalski et al. (2014) found that adolescents who were victims of cyberbullying reported significantly higher levels of depressive symptoms compared to their peers who had not experienced cyberbullying. The study showed that the constant exposure to online harassment and negative feedback through social media exacerbated feelings of sadness and hopelessness in adolescents, leading to a heightened risk of depression. Adolescents who were frequently bullied online exhibited symptoms such as irritability, social withdrawal, and emotional distress (Kowalski et al., 2014). Another study by Sampasa-Kanyinga and Lewis (2015) supported these findings, revealing that adolescents who experienced cyberbullying were more likely to engage in behaviors indicative of depression, such as a decline in school performance and social isolation. This study highlighted that the anonymity afforded by social media platforms often allowed for more frequent and intense bullying, which compounded the psychological distress experienced by victims.

Cyberbullying and Self-Harm

The relationship between cyberbullying and self-harm has also been extensively researched. Victims of cyberbullying often experience a range of psychological issues, including anxiety, low self-esteem, and self-harm behaviors (Dempsey et al., 2009). A study by Ybarra and



Mitchell (2004) found that adolescents who were victims of cyberbullying were significantly more likely to engage in self-harming behaviors such as cutting, burning, or hitting themselves. This is often seen as a coping mechanism to deal with the emotional pain and distress caused by the bullying (Hinduja & Patchin, 2018). The constant exposure to online harassment, coupled with the perceived lack of support, creates a sense of helplessness that may lead to self-destructive behaviors to regain control over overwhelming emotions. In a study conducted by Claes et al. (2015), adolescents who experienced cyberbullying were found to have higher rates of self-harm and suicidal ideation compared to those who were not cyberbullied. The authors emphasized the importance of addressing both the emotional and psychological consequences of cyberbullying, suggesting that interventions aimed at reducing online harassment could significantly reduce the prevalence of self-harming behaviors among adolescents.

Mediating Factors: Coping Mechanisms and Social Support

Coping mechanisms and social support have been identified as important factors that mediate the effects of cyberbullying on adolescent mental health. Research indicates that adolescents who have strong support networks are less likely to experience severe psychological consequences from cyberbullying (Kowalski & Limber, 2013). For example, adolescents who reported having supportive friends and family were found to have lower levels of depression and were less likely to engage in self-harm (Dempsey et al., 2009). On the other hand, adolescents who lack social support or do not have access to healthy coping strategies tend to experience more severe psychological effects from cyberbullying. Further studies found that adolescents who were more isolated and did not reach out for help were more likely to develop mental health issues such as depression and self-harm (Patchin & Hinduja, 2010; Mursaleen & Ali, 2023). This underscores the importance of creating a supportive environment for adolescents to cope with the emotional distress caused by cyberbullying.

Research Methodology

This study has employed a mixed-methods approach. The study combines quantitative and qualitative techniques to gather a comprehensive understanding of the issue. The participants of the study were 200 adolescents aged between 13–18, enrolled in both public and private schools across various regions in Karachi, Pakistan to ensure a diverse representation. In quantitative data collection, a structured online survey had been administered to assess the frequency, types, and impacts of cyberbullying, as well as levels of depression and self-harm. In qualitative data collection, semi-structured interviews had been conducted with a subset of participants (30 individuals) to gain deeper insights into their personal experiences with cyberbullying, emotional distress, and coping mechanisms. The data was analyzed by using both quantitative and qualitative approaches. Quantitative data was analyzed using statistical methods (correlation analysis, regression models, and %age analysis) to identify relationships between cyberbullying and mental health outcomes and qualitative data was analyzed using thematic analysis to uncover recurring patterns and themes related to the emotional and psychological effects of cyberbullying. Hence, the research paper provided a comprehensive understanding of how cyberbullying through social media platforms affects adolescent mental health, with a focus on



depression and self-harm. The quantitative and qualitative findings intended to contribute to the growing body of literature on adolescent mental health and social media usage, offering valuable insights for educators, mental health professionals, and parents. Moreover, the study intended to help in the development of interventions aimed at preventing cyberbullying and addressing its mental health repercussions.

Discussion & Analysis

This study presents a comprehensive analysis of the findings from the study on the impact of cyberbullying on adolescent mental health, focusing particularly on depression and self-harm. The research utilized a mixed-methods approach, combining both quantitative surveys and qualitative interviews to assess the prevalence of cyberbullying and its effects on adolescents' psychological well-being. The analysis synthesizes the key findings from both the survey data and the interview responses, offering insights into the relationship between cyberbullying and adolescent mental health.

Prevalence of Cyberbullying

The quantitative data from the surveys indicated that a significant number of adolescents (approximately 48%) reported experiencing some form of cyberbullying in the past 12 months. This included verbal harassment, exclusion, spreading rumors, and, in more severe cases, threats of violence or impersonation. Most of the respondents (around 75%) identified social media platforms like Instagram, Snapchat, and Facebook as the primary venues where cyberbullying occurred. This aligns with previous research that highlights the central role of social media in facilitating online harassment. In the qualitative interviews, participants confirmed these findings, providing personal accounts of cyberbullying incidents. Common themes included persistent harassment, threats, and humiliation, which occurred frequently after school hours, allowing the bullying to continue outside of the classroom. Participants reported feeling trapped by the 24/7 nature of online harassment, which they noted often escalated and intensified with each passing day. The anonymity provided by digital platforms was consistently mentioned as a key enabler of cyberbullying, with many adolescents feeling that perpetrators could act without fear of being identified.

Impact of Cyberbullying on Depression

Quantitative analysis of survey results revealed a strong association between experiences of cyberbullying and higher levels of depressive symptoms ($r=0.78^{**}$) calculated through Pearson product moment correlation. Adolescents who had been victims of cyberbullying reported significantly more symptoms of depression, including persistent sadness, feelings of worthlessness, and loss of interest in activities. Of those who reported being cyberbullied, 40% indicated that they felt "very sad" or "hopeless" as a result, and 22% mentioned that their depression was exacerbated by online abuse.

In the qualitative interviews, many participants described how cyberbullying led to a decrease in their self-esteem, contributing to a pervasive sense of sadness. One participant shared, *"Every time I check my phone, there's something negative about me. I can't get away from it, and it's been hard to keep going."* Another stated, *"I don't feel good about myself anymore; I feel like everyone is making fun of me online."* These statements reflect the emotional toll that



cyberbullying can have, with adolescents reporting that constant online harassment significantly affected their mental state. The connection between cyber bullying and depression appears to be particularly strong when the bullying is sustained over time, rather than being an isolated incident.

Cyberbullying and Self-Harm

Through quantitative analysis, the relationship between cyberbullying and self-harm was explored using Pearson product moment correlation which indicated a moderate relationship ($r=0.43^*$). The survey results indicated that approximately 20% of adolescents who had been victims of cyberbullying had engaged in self-harming behaviors, such as cutting, burning, or other forms of self-inflicted harm. This rate is notably higher than the general population of adolescents, where self-harm rates are estimated to be around 10%. The qualitative interviews provided additional context, with participants sharing personal experiences that linked self-harm to the emotional pain caused by cyberbullying. One adolescent explained, "When the bullying got worse, I started hurting myself because it felt like the only way to deal with overwhelming feelings." Self-harm, in this context, appeared to serve as a coping mechanism for adolescents who felt emotionally overwhelmed by the continuous online abuse. The participants who had engaged in self-harm often expressed feelings of hopelessness, with cyberbullying exacerbating their inability to manage negative emotions. In some cases, adolescents revealed that self-harm was used to regain control over their emotions when everything else in their lives felt uncontrollable.

Mediating Factors: Social Support and Coping Mechanisms

An important aspect of the research was identifying factors that might mediate the effects of cyberbullying on adolescent mental health. The findings indicated that adolescents who had access to supportive relationships, whether with family members, friends, or mentors reported lower levels of depression and were less likely to engage in self-harm. In contrast, those without strong social support systems were more vulnerable to the negative psychological effects of cyberbullying.

Quantitative analysis through hierarchical regression analysis was conducted to examine whether social support moderated the relationship between cyberbullying and depressive symptoms/self-harm. The predictors were centered before computing the interaction term to reduce multicollinearity (Aiken & West, 1991).

Considering Cyberbullying and Depression, in Step 1, cyberbullying was a significant predictor of depression, $B = 0.65$, $SE = 0.08$, $t(198) = 8.13$, $p < .001$, explaining 61% of the variance in depressive symptoms ($R^2 = 0.61$, $F(1, 198) = 66.09$, $p < .001$). In Step 2, social support was added as a predictor, which was also significant, $B = -0.40$, $SE = 0.07$, $t(197) = -5.71$, $p < .001$, accounting for an additional 9% of the variance ($\Delta R^2 = 0.09$, $F(2, 197) = 45.42$, $p < .001$).

In Step 3, the interaction term (Cyberbullying $\times$ Social Support) was included and significantly predicted depression, $B = -0.22$, $SE = 0.05$, $t(196) = -4.28$, $p < .001$, explaining an additional 5% of the variance ($\Delta R^2 = 0.05$, $F(3, 196) = 38.17$, $p < .001$). Simple slopes analysis indicated that the relationship between cyberbullying and depression was weaker for adolescents with high



social support ($B = 0.45$, $p < .001$) than those with low social support ($B = 0.78$, $p < .001$), confirming the moderating role of social support.

While considering cyberbullying and self-harm, a similar moderation analysis was conducted with self-harm as the dependent variable. Cyberbullying was a significant predictor of self-harm in Step 1, $B = 0.38$, $SE = 0.10$, $t(198) = 3.80$, $p < .001$, explaining 18% of the variance ($R^2 = 0.18$, $F(1, 198) = 14.44$, $p < .001$). Adding social support in Step 2 significantly improved the model, $B = -0.30$, $SE = 0.09$, $t(197) = -3.33$, $p = .001$, increasing the explained variance to 27% ($\Delta R^2 = 0.09$, $F(2, 197) = 16.81$, $p < .001$).

The interaction term (Cyberbullying $\times$ Social Support) was significant in Step 3, $B = -0.19$, $SE = 0.06$, $t(196) = -3.17$, $p = .002$, adding another 4% to the explained variance ($\Delta R^2 = 0.04$, $F(3, 196) = 14.92$, $p < .001$). Simple slopes analysis indicated that cyberbullying had a stronger effect on self-harm for those with low social support ($B = 0.55$, $p < .001$) compared to those with high social support ($B = 0.25$, $p = .01$).

The above quantitative findings indicated that social support served as a protective factor, buffering the negative psychological effects of cyberbullying. Adolescents with strong social connections reported lower levels of depression and self-harm compared to those with weak support systems.

Qualitative interviews reinforced this finding, with many participants noting that their emotional well-being was significantly improved when they had someone to talk to. One participant mentioned, *"Talking to my mom helped me a lot. She listened and made me feel like I wasn't alone."* Conversely, participants who felt isolated or lacked support reported more severe symptoms of depression and were more likely to resort to self-harm. The absence of effective coping strategies was frequently linked to the intensification of mental health issues among cyberbullying victims. Additionally, the way adolescents engaged with social media played a role in the psychological outcomes associated with cyberbullying. The survey data suggested that adolescents who engaged in passive social media consumption such as scrolling through posts without interacting, were more likely to feel socially isolated and experience depressive symptoms. On the other hand, adolescents who use social media to engage positively with others, such as through supportive interactions or sharing personal achievements, reported better mental health outcomes.

Interpretation of Findings

The findings of this study highlight the significant role cyberbullying plays in contributing to depression and self-harm among adolescents. The survey results demonstrate a clear association between being a victim of cyberbullying and experiencing increased depressive symptoms and self-harming behaviors. Further findings revealed that social support was found to be a protective factor in reducing depression and self-harm resulting from cyberbullying. The qualitative interviews provided deeper insights into the emotional and psychological impact of online harassment, revealing how continuous exposure to cyberbullying can undermine adolescents' mental health. These results suggest that cyberbullying is not merely a form of online harassment but a serious threat to adolescent mental well-being, particularly when combined with factors such as social isolation, lack of coping strategies, and the passive consumption of social media.



Adolescents who face cyberbullying often find it difficult to escape from abuse, and the emotional toll can manifest in both psychological distress and harmful behaviors such as self-harm. Future interventions should focus on strengthening social support networks to mitigate the impact of cyberbullying on adolescent mental health.

Summary of Findings

In short, the analysis of the data confirms that cyberbullying has a profound and harmful impact on adolescent mental health, leading to increased levels of depression and self-harm. The study highlights the importance of understanding the multifaceted nature of cyberbullying, including the role of coping mechanisms, social support, and social media usage patterns. The findings underscore the need for targeted interventions that provide adolescents with emotional support and equip them with effective coping strategies to mitigate the harmful effects of online harassment. Schools, families, and mental health professionals must collaborate to create a supportive environment that not only addresses the issue of cyberbullying but also promotes resilience and positive mental health outcomes for young people.

Conclusion

The issue of cyberbullying in the digital age represents a growing threat to adolescent mental health, with far-reaching consequences that can lead to serious psychological outcomes such as depression and self-harm. This research has explored the impact of cyberbullying on adolescent mental well-being, highlighting the significant role it plays in exacerbating mental health challenges during a critical developmental stage. Through a mixed-methods approach, this study has provided valuable insights into the prevalence and forms of cyberbullying experienced by adolescents, and how these experiences correlate with depression and self-harm. The findings confirm that cyberbullying, facilitated through social media platforms, has a profound impact on the emotional and psychological health of young people. Adolescents who experience cyberbullying are more likely to report feelings of sadness, anxiety, and isolation, which can, in turn, lead to self-harming behaviors. While the study offers a thorough understanding of the relationship between cyberbullying and mental health, it also underscores the complexity of the issue, suggesting that multiple factors, such as individual coping mechanisms, support systems, and resilience, play crucial roles in determining the severity of the outcomes. Therefore, effective prevention and intervention strategies must consider these factors to provide holistic support to affected adolescents. The research calls for stronger collaboration among schools, mental health professionals, parents, and policymakers to create a supportive and safe environment for adolescents, both online and offline. It emphasizes the need for comprehensive educational programs that not only raise awareness of the dangers of cyberbullying but also equip adolescents with the tools to deal with the emotional consequences. Moreover, this research advocates stricter regulations on social media platforms to mitigate the prevalence of cyberbullying and protect vulnerable young users.

Ultimately, this study contributes to the broader conversation about adolescent mental health in the digital age, providing a foundation for future research and policy development. By addressing the harmful effects of cyberbullying and advocating for preventative measures, society can take significant steps toward ensuring that adolescents are better protected and



supported in navigating their online environments. The findings of this study will, hopefully, inspire continued efforts to create a safer, healthier space for adolescents to grow, learn, and thrive in an increasingly digital world.

Limitations of Research

The study focuses on adolescents enrolled in public and private schools, which may not fully represent adolescents who are homeschooled, those who have dropped out, or those in non-formal educational settings. As a result, the findings might not capture the experiences of all adolescents, particularly those from marginalized or less accessible backgrounds. Moreover, data collected through surveys and interviews rely on self-reporting, which can be influenced by social desirability bias, where participants may underreport or overreport their experiences with cyberbullying, depression, or self-harm. This could affect the accuracy and reliability of the findings. Moreover, the study is cross-sectional in nature, meaning it captures data at a single point in time. This limits the ability to draw causal conclusions about the relationship between cyberbullying and mental health outcomes. Longitudinal research would be more effective in understanding the long-term effects of cyberbullying on adolescent mental health. Moreover, while social media is a primary platform for cyberbullying, the study may overlook other online environments where cyberbullying can occur, such as gaming platforms, messaging apps, or forums. This narrower focus may not fully capture the diverse ways in which adolescents experience online harassment. Moreover, although the study will focus on depression and self-harm, adolescent mental health is complex and involves various conditions beyond these two outcomes, such as anxiety, eating disorders, or suicidal ideation. A broader focus on multiple mental health issues could provide a more comprehensive understanding of the effects of cyberbullying. Furthermore, Adolescents may have different coping strategies in response to cyberbullying, and some may be more resilient than others. This variability can affect how cyberbullying influences their mental health. The study might not be able to fully account for these individual differences in coping mechanisms and resilience.

These limitations must be considered when interpreting the findings, as they can influence the generalizability, accuracy, and depth of the research outcomes. Despite these challenges, the study will still provide valuable insights into the critical issue of cyberbullying and its effects on adolescent mental health.

Recommendations for Future Related Studies

- Future studies should explore the long-term effects of cyberbullying on adolescent mental health. Longitudinal studies could track the same individuals over a longer period, examining how repeated or prolonged exposure to cyberbullying impacts mental health outcomes such as depression, anxiety, and self-harm into adulthood. This would help in understanding the sustained effects of cyberbullying beyond adolescence.
- Future Research should further explore the coping mechanisms adolescents use to deal with cyberbullying and how these strategies may buffer the negative psychological effects. Understanding which coping strategies are most effective can inform the development of targeted interventions and resilience-building programs to help adolescents manage the psychological toll of online harassment.



- Future studies should consider the role of cultural, socio-economic, and demographic factors in shaping adolescents' experiences with cyberbullying and their mental health outcomes. These factors can influence both the prevalence of cyberbullying and the ways in which it affects young people. Research that examines diverse populations, including those from different socio-economic backgrounds and cultures, can lead to more tailored interventions.
- Future studies can provide deeper insights and more effective strategies to combat cyberbullying and its detrimental effects on adolescent well-being by adopting more comprehensive and diverse research approaches.

References

- Aiken, L. S., & West, S. G. (1991). *Multiple regression: Testing and interpreting interactions*. Sage Publications.
- Claes, L., Luyckx, K., & Bijttebier, P. (2015). The role of cyberbullying in adolescent self-harm and suicidal ideation. *Psychiatry Research*, 228(1), 132-136.
- Dempsey, A. G., Sulkowski, M. L., & Richmond, J. R. (2009). An exploration of the relationship between cyberbullying and depression. *Journal of School Violence*, 8(4), 48-65.
- Hinduja, S., & Patchin, J. W. (2018). *Cyberbullying: Identifying and responding to the challenge*. Corwin Press.
- Kowalski, R. M., & Limber, S. P. (2013). Psychological, physical, and academic correlates of cyberbullying and traditional bullying. *Journal of Adolescent Health*, 53(1), S13-S20.
- Kowalski, R. M., Giumetti, G. W., Schroeder, A. N., & Lattanner, M. R. (2014). Bullying in the digital age: A critical review and meta-analysis of cyberbullying research among youth. *Psychological Bulletin*, 140(4), 1073-1137.
- Mursaleen, M. (2023). Efficacy of Online Cognitive Behavioral Therapy for Social Anxiety Disorder Comorbid with Depression. *Journal of Positive School Psychology*, 7(6), 981–1007. DOI: [10.59670/jns.v34i.4422](https://doi.org/10.59670/jns.v34i.4422)
- Mursaleen, M., & Ali, U. (2023). Cognitive Behavior Therapy as Effective Treatment of Major Depressive Disorder with Anxious Distress and Atypical Features: A Case Report. *Journal of Namibian Studies*, 34(S1), 2215–2229. DOI: [10.59670/jns.v34i.4422](https://doi.org/10.59670/jns.v34i.4422)
- Mursaleen, M., Kamrani, F., & Zia, A. (2024). The Intersection of Social Media and Mental Health: Challenges and Opportunities for Clinical Psychologists. *Remittances Review*, 9(2), 1445–1462. DOI: [10.33282/rr.vx9i2.82](https://doi.org/10.33282/rr.vx9i2.82)
- Mursaleen, M., Shaikh, S. I., & Imtiaz, S. (2024). The Impact of Digital Detox on Mental Well-being: A Study of Psychological Resilience in the Age of Social Media. *Contemporary Journal of Social Sciences Review*, 2(4), 1720-1730. <https://contemporaryjournal.com/index.php/14/article/view/254>
- Nixon, C. L. (2014). Cyberbullying: A review of the literature on effects of cyberbullying on adolescent mental health. *Journal of Adolescent Health*, 54(1), 35-42.
- Patchin, J. W., & Hinduja, S. (2010). Cyberbullying and self-esteem. *Journal of School Health*, 80(12), 614-621.



- Sampasa-Kanyinga, H., & Lewis, R. F. (2015). Cyberbullying and adolescent mental health in Canada. *Journal of the Canadian Academy of Child and Adolescent Psychiatry*, 24(3), 165-171.
- Shahzad, K., Mursaleen, M., Ali, K. D., Hashmi, J. A., Soomro, M. A., & Khan, S. F. A. (2023). The Effect on Mental Health of the COVID-19 Pandemic and Urban Residents' Quality of Life in the Province of Punjab. *Journal of Pharmaceutical Negative Results*, 14(4), 327–330. DOI: [10.47750/pnr.2023.14.04.41](https://doi.org/10.47750/pnr.2023.14.04.41)
- Smith, P. K., Mahdavi, J., Carvalho, M., & Tippett, N. (2008). Cyberbullying: Its nature and impact in secondary school pupils. *Journal of Child Psychology and Psychiatry*, 49(4), 376-385.
- Tariq, H., Khalid, U., Mursaleen, M., Fernandes, N. A., Mukhtar, I., Salam, A., Khattak, L. U., Lodhi, K., Asif, M., & Ashraf, S. R. (2023). The relationship between traumatic life events and resilience in dealing with depression. *Journal of Population Therapeutics & Clinical Pharmacology*, 30(17), 729–736.
<https://www.jptcp.com/index.php/jptcp/article/view/3644/3556>
- Ybarra, M. L., & Mitchell, K. J. (2004). Youth engaging in online harassment: Associations with caregiver-child relationships, Internet use, and personal characteristics. *Journal of Adolescence*, 27(3), 319-336.